
## Surface course & Binder course Sub base 615 A 300 A 112½º

SECTIONAL ELEVATION AA



**PLAN** 

## NOTES

All dimensions in millimetres

Gully details to comply with BS.437.2008.

Grating to be 350mm dia.  $\times$  55mm thick.

Sediment pan to be galvanized mild steel.

Internal access to be fitted with a screwed brass cap.

Gully pot to have concrete surround mix ST2, 100mm min. thickness.

Gully grating to be set 5mm below nominal finished level of surfacing.